









G100 / R60











A	DLW	Day Light Width	Tageslichtbreite	Largeur de baie	Dagmaat breedte
B	DLH	Day Light Height	Tageslichthöhe	Hauteur de baie	Dagmaat hoogte
C	FHR	Free Head Room	Sturzfreiraum	Linteau disponible	Vrije bovenruimte
D	FSR	Free Side Room	Freie Seitenraum	Ecoinçons Recuis	Vrije zijruimte
E	FMD	Free Mounting Dept	Freie einbautiefe	Recul	Inbouwdiepte







G100









8080





8280










R60























1




2




3





1










3



2















3814













3804







8285





















3814


















PW Bon Hardware Industrie								
Aantal	Type	DMB	DMH	Sekt. p/d	Velden	Beleg	Ordernr :	
			x				Klant :	
Transp. :							Ref :	
				Pitch	Häft			
Aantal	Eenheid	Artikeknr	Omschrijving				Doos	Ingepakt Controle
1	per set		RVS Steelcable 4 mm-Type 2 - LENGTE=4967 mm				☐	☐
1	per stuk		Springs Left 8,0x95x990 Powdercoated 10,6 turns				☐	☐
1	per stuk		Springs Right 8,0x95x990 Powdercoated 10,6 turns				☐	☐


Turns x 360°














Options



3639



0200

3978



0200



0300



0350



0445



0446



0447



0448




0453




0454



0564




0707




0708



0720



0721



0742

R60




0743

G100




0744

G100



0746

R60




0749



0753



3101



3201



3211




3218



3639




3645



3697



3698



3764



3804



3814



3866

G100



3908

G100



3909



3949



3961



3963



3969



3978



4023



4130




8080



8111




8280




8285




8612



90572



93817



93818



93710



94048



[9824



[9825



R60

[9827



G100

[9828



R60

[9830



G100

[9831



93823



93824