







G200




G200 versie 5
9202




A	DLW	Day Light Width	Tageslichtebreite	Largeur de baie	Dagmaat breedte
B	DLH	Day Light Height	Tageslichtehöhe	Hauteur de baie	Dagmaat hoogte
C	FHR	Free Head Room	Sturzfreiraum	Linteau disponible	Vrije bovenruimte
D	FSR	Free Side Room	Freie Seitenraum	Ecoinçons Recuis	Vrije zijruimte
E	FMD	Free Mounting Dept	Freie einbautiefe	Recul	Inbouwdiepte






φ8



0351



φ6







8011







8010




φ8







8080







8280















$A = B$
 $C = D$














1




2




3





1









3







2








3814





3814













DLW $\geq$ 5000 mm

3814














3804







8285


















3814















PW Bon Hardware Industrie							Barcode	
Aantal	Type	DMB	DMH	Sekt. pos	Vakken	Berling	Ordernr.:	
		x					Klant:	
Transp.:							Ref:	
Aantal	Bereid	Aflever	Omschrijving				Deels	Ingepast module
1	per set		RVS Steencable 4 mm Type 2 - L=2121 mm					
1	per stuk		Springs Left 6,0x5x90 Powdercoated 10,6 turns					
1	per stuk		Springs Right 6,0x5x90 Powdercoated 10,6 turns					


Turns x 360°


















Options

3639




0200



3978






0721



0742



0744



0746



3101




3201



3211



3218



3639



3645



3647



3648



3697



3698



3804



3814



3866



3908



3909



3949



3961



3963



3969




3978



4023



4130



8080



8111



8280



8285

